
Think safety think Steelmate



Scan here to visit us at
www.steel-mate.com

STEELMATE CO., LTD.

Steelmate Industrial Park, Heping Street, Dongfu Road, Dongfeng Town,
Zhongshan City, Guangdong, P.R. China 528425

E-mail: info@steel-mate.com
Tell: +86 0760 22771886

PXC1320R/A


STEELMATE


Product **Catalogue**

About STEELMATE

STEELMATE CO., LTD. was founded in 1993 in Zhongshan, Guangdong province, China, with a registered capital of 80 million yuan. It is an accredited National High Technology Enterprise (HNTE) and provincial-level Engineering Technology R&D Center. Moreover, it is a member of the drafting committee for the Chinese mandatory national standard for TPMS (GB26149-2017 Performance requirements and test methods of tire pressure monitoring system for passenger cars), and it established Steelmate Testing Center accredited by CNAS to perform tests and calibrations under ISO 17025 standard. With substantially strong RD capability, it has obtained quite a few invention patents and utility model patents. In addition, its industrial park covers an area of 185 acres (120,000m^2) with about 1,000 employees, and houses several intelligent manufacturing centers equipped with tens of advanced automatic production lines.

Steelmate has always committed to enabling the public a safer and more convenient driving life through developing, manufacturing and selling reliable automotive safety electronics solutions and offering professionally supportive services to leading conventional Chinese carmakers and emerging new energy carmakers as well as aftersales customers both at home and abroad.





R&D Capacity

Steelmate has 3 R&D Centers (Zhongshan headquarter, Shenzhen and Wuhan branches). Hundreds of R&D engineers are responsible for entire product development procedures of hardware, software, structural design and industrial design, and half of them with more than 10-year industrial experience.


Based on V-model development process which ranges from product design, simulation, review to verification, we have developed various products including car and motorcycle alarm system, tire pressure monitoring system (TPMS), parking assist system (PAS), blind spot detection (BSD), forward collision warning (FCW) and other automotive safety electronics.

We have also obtained A-SPICE Level 2 certification which verifies Steelmate's capability to provide secure and reliable software for automotive electronics and can provide customers domestically and internationally with professional technology and quality services.



Zhongshan headquarter


Shenzhen branches


Wuhan branches


Resolution test


3D printer


X-Ray CT scanner

Manufacturing Capacity

We keep upgrading production facilities and have built an intelligent manufacturing center. There are fully automatic production lines (equipment from Germany and Japan) for SMT process, automatic production lines for ultrasonic sensors (annual output 4.5million), BCMs workshop operating at PPM standard, automatically customized VCU/DCU controller and PEPS controller production lines, as well as independently developed flexible and automatic production devices. With years of experience, we can guarantee the conformity of product quality and timely delivery.


SMT workshop


PCB workshop


Ultrasonic sensor workshop


BCMs workshop

Quality Control

We practice standardized quality management based on the IATF16949 quality management system to continuously control and enhance product quality. Steelmate Testing Center is accredited by CNAS and can perform various tests according to ISO 17025 standards, such as environmental tests, ESD test, EMC test(ISO 7637), high/low temperature test and rain test for vehicles.

Meanwhile, according to different markets, Steelmate products are CE, E-MARK, FCC, NCC, KCC, UKCA and CCC certified.


Environmental test


Omron AOI system


EMI/EMS

OEM Partner

... ...

Distribution

We understand different countries have different regulations, vehicle types and environment. That is why we work closely with you - our business partners to design and produce products to meet your market requirements.

By working with our business partners worldwide, Steelmate's products are now selling in nearly 110 countries and regions, and Steelmate brand becomes more popular world wide.
We aim to support our business partners to be successful in their market.



Standards and Awards

2022
- ASPICE Level 2 certification

2019
2017
- BSCI certificated
- IATF 16949 standard certificate. Steelmate laboratory accredited by CNAS

2016
- CES Innovation Awards 2016
- reddot design award honourable mention 2016
- Electronic Industries Awards 2016

2015
2014
2013
- Canton Fair Design Award 2016/2015/2014
- SEMA Global Media Award 2013

2012
2010
- HKEIA Award 2012
- Automehanika Innovation Award 2012/2010

2008
2007
- SEMA Global Media Award 2008/2007
- ISO 14001 & OHSAS 18001 certifications

2006
- ICE Award 2006
- Auto Express Product Honours 2006
- Mobile Electronics News Gold Award 2006

2004
2003
- ISO/TS 16949 certification
- IEC 839-10 certification
ISO 9001:2000 certification

Our Life at Steelmate

We strongly believe that products and talents are the soul of a successful enterprise. Steelmate bears in mind that only by offering a friendly and harmonious working environment for employees can unite and merge them into our core philosophy. All kinds of indoor/outdoor activities, skill/knowledge training courses have enriched Steelmate employees' daily life.



Home culture


Staff's dormitory


Dining hall


Gymnasium


New Year's Gala Evening "Transcendence"


Computer skill training room


Conference hall


Library


Ballroom


Supermarket

Social Responsibility

As a company who is willing to shoulder its social responsibility, Steemlate enjoys reputation of being in strict compliance with clean environment by using less polluting components and planting trees. Our staff is committed to various types of charitable endeavors like blood donation for China Red Cross and visiting the nursing home etc.



Spring tour


Funny sport competition


Fire drill


Basketball game


Team spirit training course



Disaster relief donation activity


Blood donation for China Red Cross


Visiting the nursing home


Parent-child activities


Mid-autumn activities


Fun game


Christmas party


Volunteering activities


Assembly contest

AUTOMOTIVE ELECTRONICS





Dash Camera



Car Stereo



Parking Assist System



Jump Starter



Car Alarm System



Front Collision Warning System



Headlight Bulbs



Tire Inflator



Tire Pressure Monitoring System



Blind Spot Detection System

INDEX

01 ONE-S SAFETY DRIVING SYSTEM
Wireless receiver
WR-S1 RF02 / RF02 PLUS
Optional ONE-S function modules
FCW-S1 BSD-S1 SBR-S1 TPS-S1
PTSF-S1 PTS-S1 PSA-S1 AQM-S1

05 DASH CAMERA
HD mirror dash camera
M900 M910
Dual-channel dash camera
D600 PLUS
Optional backup camera
RC02 RC05 RC06

07 DASH CAMERA
S820 S810 M700 S800 S620
S610 S600 S210 S200 S100

09 CAR STEREO
U8 U3 U2 X12 X13

11 FORWARD COLLISION WARNING SYSTEM
SF2-X Pro SF2-X

13 BLIND SPOT DETECTION SYSTEM
Optional sensor
S1 S2
Triangle LED display
SBS-2
Optical fibre display
SBS-3
Ruby LED display
SBS-5
Dual color wireless display
SBS-6

15 LANE CHANGE ASSIST SYSTEM
SLC-2C

17 TIRE PRESSURE MONITORING SYSTEM
Solar power TPMS
TP-S23 TP-S22 TP-S21 TP-S15 TP-S13
TP-S12 TP-S11
TPMS Diagnostic Tool
SPT200
Other Types TPMS
TP-77 TP-77i
TP-U1 / TP-U1i

21 BABY SEAT ALARM SYSTEM
BSA-1U BSA-1 BSA-2 BSA-3

23 PARKING ASSIST SYSTEM
Front and rear parking assist system
PTS810 Series
Front parking assist system
PTSF420 Series
Dual-purpose parking assist system
PTS411 Series
Rear parking assist system
C Series P Series
Optional LED display
M33 M29 M28 M27 M26 M25 M23
M22 M21 M19 M8 M7 M5
Optional buzzer
B1 B2
Optional LCD display
V13 V12 V11 V10 V4
Optional sensor
Inside bumper mount sensor
Flush mount sensor
Original equipment parking assist system
PTSU400 PTSU800

31 CAR ALARM SYSTEM
Ultra-long distance LoRa™ technology
Raners Series
2-Way car alarm system
888E 888D 8006
Bluetooth Car Alarm System
838EX
Smart Phone-controlled GPS Car Alarm
838GX
Upgrade Universal Smart Mobile Controller
SC100
1-Way car alarm system
RX01 838G NEW 838ZX
Remote Transmitters

41 ELECTRONIC VEHICLE CHARGING
EV Charging Cable
C22i C22s C22Ti C22Ts
EV Charger
EC01 EC02


43 TIRE INFLATOR
SP1 V12 T17 T16 T15-B T15-A
T12 T10 Pro T10 T9 T5 PO8
PO7 PO5 PO6-B PO6-A PO3

49 JUMP STARTER
JS16 JS12 JS10

51 HEADLIGHT BULBS
Xenon headlight bulbs to LED
D5S D2S-R / D4S-R D1S / D3S / D8S
LED headlight bulbs
LE6 LE5 L3S LE3

ONE-S SAFETY DRIVING SYSTEM

Multi Safety functions can be displayed in one HD Screen.
Multi Safety functions as following:
Forward Collision Warning, Blind Spot Detection,
Tire Pressure & Temperature Monitoring,
Dash Camera, Parking Assist System, Parking Alarm System,
Seat Belt Reminder, Air Quality Monitoring.
ONE-S safety driving system can provide the overall protection for drivers.
The best Safety driving system not only record the evidence, but also prevent accidents



More videos

Wireless Receiver

WR-S1

- Compatible with STEELMATE dash camera
- Can be upgraded to ONE-S safety driving system: DVR, PSA, FCW, BSD, TPMS, PAS, SBR, AQM



RF02 / RF02 PLUS

- Compatible with Android car stereo
- Wireless USB connection with built-in LED status indicator
- Auto minimize with floating window display
- Comes with loudspeaker
- Can be upgraded to ONE-S safety driving system: FCW, BSD, TPMS, PAS, SBR, AQM






RF02 RF02 PLUS

Optional ONE-S Function Modules



















DASH CAMERA

HD mirror dash camera



More videos

M900

- 9.35 inch IPS screen
- Touch screen control
- Dual Video: Front & Rear 1080P
- HD Stream Media
- 24x7 parking monitoring
- Emergency recording
- Time-lapse recording
- Warning light reminder
- Additional equipped with WR-S1 can be upgraded to ONE-S safety driving system
- Easy installation



M910

- 11.88 inch IPS screen
- Touch screen control
- Dual Video: Front & Rear 1080P
- HD Stream Media
- 24x7 parking monitoring
- Emergency recording
- Time-lapse recording
- Warning light reminder
- Additional equipped with WR-S1 can be upgraded to ONE-S safety driving system
- Easy installation



Dual-channel dash camera

D600 PLUS

- 3 inch IPS screen
- Dual Video: Front & Rear 1080P
- 24 / 7 parking monitoring
- Emergency recording
- Time-lapse recording
- AI recognition limit-velocity plate
- AI recognition traffic signs
- AI recognition vehicle started detection
- WIFI wireless connection
- Warning light reminder
- Additional equipped with WR-S1 can be upgraded to ONE-S safety driving system



Optional backup camera



RC02

- 1080P Low-light-level camera for night vision
- 4 glass lens
- 3.5mm interface
- Compatible with D600 PLUS/M900/M910



RC05

- Sensor: F35
- 1080P Low-light-level camera for night vision
- 4 glass lens
- Metal casing
- Compatible with M series



RC06

- Sensor: SONY IMX307
- 1080P Low-light-level camera for night vision
- Automotive grade
- 6 glass lens
- Waterproof metal casing Compatible with M series



DASH CAMERA

S820
- 9.66 inch IPS screen
- Touch screen control
- Dual Video: Front 4K & Rear 1080P
- 24×7 parking monitoring
- Emergency recording
- Time-lapse recording



S810
- 9.66 inch IPS screen
- Touch screen control
- Dual Video: Front & Rear 1080P
- 24×7 parking monitoring
- Emergency recording
- Time-lapse recording



M700
- 9.66 inch IPS screen
- Touch screen control
- Dual Video: Front & Rear 1080P
- HD Stream Media
- 24x7 parking monitoring
- Emergency recording
- Time-lapse recording
- Easy installation



S800
- 9.66 inch IPS screen
- Touch screen control
- Dual Video: Front 1080P & Rear 720P
- 24×7 parking monitoring
- Emergency recording
- Time-lapse recording



S620
- 5 inch TFT screen
- Dual Video: Front 1080P & Rear 480P
- 24×7 parking monitoring
- Emergency recording
- Time-lapse recording



S610
- 4.5 inch TFT screen
- Dual Video: Front 720P & Rear 480P
- 24×7 parking monitoring
- Emergency recording
- Time-lapse recording



S600
- 4.5 inch TFT screen
- Dual Video: Front 720P & Rear 480P
- 24×7 parking monitoring
- Emergency recording
- Time-lapse recording




S220
- 2 inch TFT screen
- Dual Video: Front 4K
- 24×7 parking monitoring
- Emergency recording
- Time-lapse recording




S210
- 1.47 inch TFT screen
- Dual Video: Front 1080P
- 24×7 parking monitoring
- Emergency recording
- Time-lapse recording



S200
- 3.39 inch IPS screen
- Dual Video: Front 1080P
- 24×7 parking monitoring
- Emergency recording
- Time-lapse recording
- Wi-Fi connection available



S100
- Dual Video: Front 1080P
- 24×7 parking monitoring
- Emergency recording
- Time-lapse recording
- Wi-Fi connection available



CAR STEREO



U8

- High-performance 8-core CPU
- 2GB RAM + 32 GB ROM
- 9 (10*) inch 720*1280 HD IPS touch screen
- 4G mobile network connection
- Bluetooth 5.0 with A2DP
- Compatible with Hi-Res Audio FLAC files
- Compatible with APPLE CARPLAY and ANDROID AUTO
- FM High-Quality Digital Radio with RDS
- HD 1080P Video Playback and Wifi Connection
- Voice control
- Dual-USB port
- AHD/ CVBS back-up camera available* (Optional configurations)
- Built-in amplifier (25 watts RMS x 4 channels)
- Built-in GPS Navigation
- Additional equipped with RF02/RF02 PLUS can be upgraded to ONE-S safety driving system

More videos

U3

- 1GB RAM + 32 GB ROM
- 9 (10*) inch IPS touch screen
- Bluetooth 4.0 with A2DP
- Compatible with Hi-Res Audio FLAC files
- FM High-Quality Digital Radio
- AHD 3D surround view
- WifiConnection
- Dual-USB port
- Voice control
- FM High-Quality Digital Radio
- AHD/ CVBS back-up camera available* (Optional configurations)
- Built-in amplifier (15 watts RMS x 4 channels)
- Built-in GPS Navigation
- Additional equipped with RF02/RF02 PLUS can be upgraded to ONE-S safety driving system



U2

- 1GB RAM + 32 GB ROM
- 9 (10*) inch capacitive touch screen
- Bluetooth 4.0 with A2DP
- Compatible with Hi-Res Audio FLAC files
- FM High-Quality Digital Radio
- WifiConnection
- Dual-USB port
- Voice control
- AHD/ CVBS back-up camera available* (Optional configurations)
- Built-in amplifier (15 watts RMS x 4 channels)
- Built-in GPS Navigation
- Additional equipped with RF02/RF02 PLUS can be upgraded to ONE-S safety driving system



X12

- Custom-Fit for multiple vehicle models
- High-performance 8-core CPU
- 2GB RAM+32GB ROM
- 12.3 inch 1920*720 IPS HD touch screen
- 4G mobile network connection
- FM High-Quality Digital Radio with RDS
- Built-in high sound quality DSP, 13 band EQ
- Bluetooth 4.0 and Wifi Connection
- Additional equipped with RF02/RF02 PLUS can be upgraded to ONE-S safety driving system




X13

- Custom-Fit for multiple vehicle models
- High-performance 4-core CPU
- 2GB RAM + 32GB ROM
- 13.1 inch 2K touch screen
- Compatible with APPLE CARPLAY and ANDROID AUTO
- FM High-Quality Digital Radio with RDS
- 4G mobile network connection
- Built-in high sound quality DSP, 13 band EQ
- Bluetooth 5.0 and Wifi Connection
- Additional equipped with RF02/RF02 PLUS can be upgraded to ONE-S safety driving system



FORWARD COLLISION WARNING SYSTEM





Drilling type installation



Bracket type installation

SF2-X Pro / SF2-X

- The sensor frequency is 77GHz
- Wireless transmission
- Visual and audible alarm
- Smart auto volume adjustment (SF2-X PRO):
  - The warning sound volume will be adjusted automatically according to the background sound volume intensity
  - Sound volume of display will be higher in noisy scenes
  - Sound volume of display will be lower in quiet scenes
- Adjustable warning sound volume
- Automatically activated when speed with relevant speed 0~288km/h
- Detection distance is over 20 km/h
- Detect moving objects up to 70m
- Built-in wireless receiver module, can be upgraded to ONE-S safety driving system: BSD, PASF




SF2-X Pro

SF2-X

BLIND SPOT DETECTION SYSTEM





S1
Paste type installation



S2
Drilling type installation

Triangle LED display

SBS-2

- The sensor frequency is 79GHz
- Visual and audible alarm
- The smallest and lightest blind spot radar
- Sticking or drilling installation available
- Detect moving objects with relevant speed 0~40km/h
- Detection distance is up to 5m

Near the A-pillar





Optical fibre display

SBS-3

- The sensor frequency is 79GHz
- Visual and audible alarm
- Optical fibre display, mount on side mirrors
- The smallest and lightest blind spot radar
- Stick or drilling installation available
- Detect moving objects with relrvant speed 0~40km/h
- Detection distance is up to 5m

On side mirror





Ruby LED display

SBS-5

- The sensor frequency is 79GHz
- Visual and audible alarm
- Visual display, stick on dash
- The smallest and lightest blind spot radar
- Stick or drilling installation available
- Detect moving objects with relevant speed 0~40km/h
- Detection distance is up to 5m

Near the A-pillar





Dual color wireless display

SBS-6

- The sensor frequency is 79GHz
- Wireless transmission
- Visual and audible alarm
- The smallest and lightest blind spot radar
- Sticking or drilling installation available
- Detect moving objects with relevant speed 0~40km/h
- Detection distance is up to 5m

Dashboard placement





LANE CHANGE ASSIST SYSTEM





More videos

SLC-2C

- 77 GHz ultrahigh mm Wave technology
- Single-sensor design for easier installation
- Support BSD and CVW functions
- 30 meters ultra long-distance detection
- IP67 Waterproof compact-sizesensor
- License plate bracket / Adhesive bracket installation available









TIRE PRESSURE MONITORING SYSTEM



KEY FEATURES:

- Match with valve-cap external sensors or professional internal sensors
- Solar power wireless LCD display
- Flexible placement
- With tire temperature checking
- Smart auto adjust backlit brightness
- Adjustable threshold value
- Intelligent sleeping mode for power saving
- Optional Micro USB input
- Low power battery warning

More videos

Optional sensors:



Professional sensor



Valve-cap sensor

TP-S23





Dashboard placement

TP-S22





Dashboard placement

TP-S21





Dashboard placement

TP-S15





Dashboard placement

TP-S13





Dashboard placement

TP-S12





Dashboard placement

TP-S11





Dashboard placement

TPMS Diagnostic Tool



SPT200

- Active TPMS sensors
- Read sensors data
- OE relearn procedures
- OBD II interface to access to TPMS codes
- Compatible with most TPMS equipped vehicles



More videos

Other Types TPMS





Cig plug TPMS

TP-77 / TP-77i

- Match with professional sensors or valve-cap sensors
- 5V/ 1A USB output for charging device (2-in-1 design)
- All pressure data is fixed and shown on display
- Convertible pressure unit
- Adjustable threshold value





Extra USB charging slot

USB TPMS

TP-U1 / TP-U1i

- Compatible with Android in-car entertainment
- Warning for abnormal tires
- Human voice warning
- USB connect

BABY SEAT ALARM SYSTEM



More videos

BSA-1

- Prevent child from hot car deaths
- Wireless transmission
- Visual and audible alarm
- Remind driver take the baby out while
- leaving the car
- Suitable for 2~36kg baby



BSA-2

- Wireless transmission
- Visual and audible alarm
- Remind driver take the baby out while leaving the car
- Suitable for 2~36kg baby
- Driver seat belt detection
- Up to 2 pads can be matched



BSA-1U

- Wireless transmission
- Visual and audible alarm
- Remind driver take the baby out while leaving the car
- Suitable for 2~36kg baby
- Driver seat belt detection
- Up to 2 pads can be matched





Place sensor pad under seat



Stick on the inside of the driver's seat belt slot

BSA-3

- Wireless transmission
- Smart phone application connection and warning
- Remind driver take the baby out while leaving the car
- Suitable for 2~36kg baby
- Emergency contact warning by SMS





Front and rear parking assist system

PTS810 Series

- 8 sensors system, complete front and rear protection
- 8 or 6 sensor available (2-front and 4-rear)
- Adjustable sensor sensitivity
- Dual-intelligent detection with learning function, compatible with spare wheel or metal bar
- Detachable sensor with waterproof sensor wire connector
- Perfect performance under heavy rain environment
- Can be matched with 2 buzzer / LED display or 1 LCD display



Front parking assist system

PTSF420 Series

- Two installation methods available
  - OBD II connection (collecting vehicle data from OBD II port)
  - Hardwired connection (universal method, collecting the signals from the circuit of vehicle)
- 4-front parking assist system with OBD II Connection* (optional)
- Adjustable sensor sensitivity
- Learning function
- System activates automatically when speed < 20km/h (OBD II connection)
- Adjustable delay time of footbrake activated (hardwired connection)
- Volume adjustable
- Self-testing function



Dual-purpose parking assist system

PTS411 Series

- Can be used as a rear or front parking assist system
- Self-testing function
- Adjustable sensor sensitivity
- Dual-intelligent detection with learning function, compatible with spare wheel or metal bar (in rear mode)
- System activated after pressing footbrake (in front mode)
- Adjustable delay time of footbrake activated (in front mode)
- Detachable sensor with waterproof sensor wire connector
- Perfect performance under heavy rain environment
- Can be matched with buzzer or display



Rear parking assist system

C Series

- 4 or 2 sensor available
- Self-testing function
- Learning function availability
- Detachable sensor with waterproof sensor wire connector
- Perfect performance under heavy rain environment
- Can be matched with buzzer or display
- Operating temperature: -30˚C~80˚C





C1



C2

Rear parking assist system

P Series

- Basic parking assist function
- 4 or 2 sensor available
- Perfect performance under heavy rain environment
- Can be matched with buzzer or display
- Operating temperature: -30˚C~80˚C





P2



P5

Optional LED Display

Available for PTS411 Series and PTS810 Series

M33

Multi-color with digital number



M29

Slim display with digital number



M28

Slim display with digital number



M27

Thinner dual-color LED display with digital number



M26

Thinner dual-color LED display with digital number



M25

Thinner dual-color LED display with digital number



M23

Thinner dual-color LED display with digital number



M22

Multi-color LED display with voice warning (ON/OFF)



M21

Ultra slim dual-color LED display



M19

Slim blue LED display with digital number, human Voice warning



M8

Slim LED display with changeable cover, digital number



M7

Dual-color LED display with digital number, human Voice warning



M5

Dual-color LED display



Optional Buzzer

B1



*Available for PTS411 & C series

B2



*Available for PTS810, PTS411 & C series

Optional LCD Display

Available for PTS411 Series and PTS810 Series

V13

Sphere-shaped design display for front and rear detection, human voice warning



V12

Fillet black display with white digital showing, precise detection up to 0.01m, human Voice warning



V11

Slim black display with white digital showing, precise detection up to 0.01m, human voice warning



V10 (Can work with 4, 6 or 8-sensor system)

Slim blue display with white digital showing, precise detection up to 0.01m, human voice warning



V4 (Can work with 4, 6 or 8-sensor system)


Slim black display with blue digital showing & matte silver metal frame, human voice warning (ON/OFF)




Optional Sensor

Inside bumper mount sensor


14D -10 sensor
Available for C Series



14D -12/15 sensor
Available for PTS411 Series and PTS810 Series



14D-12 sensor cover




Truck sensor cover
Available for 14D-12 sensor



Flush mount sensor
Available for PTS411 Series and PTS810 Series

14D-13 sensor




14D-17 sensor
Adjustable thickness



14S-33 sensor
With 4 degree angle




Original Equipment Parking Assist System



PTSU400 / PTSU800

- Can be displayed on original dashboard/car stereo
- 4/8 sensors available
- Special plug for the original car, plug and play





CAR ALARM SYSTEM



ULTRA-LONG distance LoRA™ technology

- Two modulation mode: LoRA™ technology and FSK technology
- Ultra long operation distance with 2-way LCD transmitter
  - Receive distance of transmitter: up to 8
- kilometers in open area
  - Control distance of transmitter: up to 5 kilometers in open area
- Rechargeable lithium battery for transmitter
- Comfort closure
- Vehicle battery voltage checking
- Match central locking system
- Valet mode
- Emergency override
- Anti-hijacking



Ranger Series



Ranger-5164



Ranger-4328



Ranger-5163



Ranger-5160

2-Way Car Alarm System



888E

- Water resistant transmitter
- Automatically lock/ unlock the door when the driver is leaving / approaching the car
- Keyless rearming function
- Intelligent anti-hijack function with ID detection
- Power saving design, long lifespan of the transmitter battery
- Remote trunk release



5157



Arm automatically



Disarm automatically

888D

- Arm and disarm
- Mute arm and disarm
- Shock sensor triggering
- Shock sensor bypass
- Remote trunk release
- Car locating
- Anti-hijack
- Auto arm and rearm
- Dome light delay
- Central lock automation
- Status preserving
- Valet mode





5084

8006

- Arming and disarming
- Mute arming and disarming
- Panic / Car locating
- Remote trunk release
- Anti-hijack
- Shock sensor trigger
- Emergency warning
- Alarm pause
- Alarm preserving
- Transmitter programming
- Open door alert
- Door closing reminder
- Valet mode
- Central door lock/unlock
- Rearming automatically
- Status preserving
- Electric door lock or vacuum door lock
- PIN code protection





4135

Bluetooth Car Alarm System



More videos

838EX

- Arming and disarming
- Mute arming and disarming
- Auto arming
- Auto rearming
- Panic / Car locating
- Remote trunk release
- Central locking automation
- Door not close warning
- Warning for triggered system
- Anti-hijacking
- Emergency override
- Valet mode
- Transmitter programming
- Alarm pause
- Open door alert
- Shock sensor bypass
- Dome light delay
- Status reserving
- Transmitter programming
- Smart phone APP controlling

Smart Phone-controlled GPS Car Alarm



838GX

- Remote control
- Historical track query
- GPS location tracking
- Arming and disarming
- Mute arm and disarm
- Auto arming
- Auto rearming
- Panic/ car searching
- Remote Trunk release
- Door not close reminder when arming
- Central lock automation
- Ant-hijack
- Emergency Override
- Valet mode
- Alarm pause
- Open door flash
- Dome light delay
- Status reserving
- Transmitter programming
  Ultrasonic sensor compatible

Upgrade Universal Smart Mobile Controller



SC100

- Easy control by mobile APP
- Universal for all remote controlled system
- Compatible with fix code 315/433.92/370 MHz
- Control access right remote sharing and no limit for numbers of App controller
- Easy installation



Control garage door Control car doors

1-Way Car Alarm System

RX01

- Arming and disarming
- Mute arm and disarm
- Auto arming
- Auto rearming
- Panic/ car searching
- Remote Trunk release
- Central lock automation
- Door not close reminder when arming
- Ant-hijack
- Emergency Override
- Valet mode
- Alarm pause
- Open door flash
- Dome light delay
- Status reserving
- Transmitter programming
- Ultrasonic sensor compatible



838G NEW

- Water resistant transmitter
- Hood/ignition/door/trunk/footbrake trigger
- Dome light delay
- Valet mode
- Anti-hijack
- Remote trunk release
- Status preserving
- Compatible with central locking system



Optional transmitters



4344 4188 4226 5138

838ZX

- Arming and disarming
- Mute arming and disarming
- Auto arming
- Auto rearming
- Panic / Car locating
- Remote trunk release
- Central locking automation
- Door not close warning
- Warning for triggered system
- Anti-Hijack
- Emergency override
- Valet Mode
- Transmitter programming
- Alarm pause
- Open door alert
- Shock sensor bypass
- Dome light delay
- Status reserving
- Transmitter programming



Remote Transmitters



3098A 3190 3191 4414 4437 4449



4120 4129 4267 4428 4429 4438 3150



4165 4173 4175 4177 4179 4181 4188



4213 4218 4219 4225 4226 4231 4258



4262 4272 4275 4276 4279 4280 4281 4291



4319 4320 4325 4341 4344 4346 4350 4359



4364 4367 4373 4388 4406 4417 4418



4420 4422 4432 4435 4440 4450 5138

ELECTRONIC VEHICLE CHARGING



EV Charging Cable

C22i

- 16A, 1-phase and up to 3.6kW of power
- Type 2 to Type 2 charging cable
- Compatible with all Type 2 (IEC62196-2) electric vehicles
- Support charging connector lock function
- IP55 standard design for safe use in all outdoor weather conditions
- Ergonomic design, easy to plug



C22s

- 32A, 1-phase and up to 7.2kW of power
- Type 2 to Type 2 charging cable
- Compatible with all Type 2 (IEC62196-2) electric vehicles
- Support charging connector lock function
- IP55 standard design for safe use in all outdoor weather conditions
- Ergonomic design, easy to plug



C22Ti

- 16A, 3-phase and up to 11kW of power
- Type 2 to Type 2 charging cable
- Compatible with all Type 2 (IEC62196-2) electric vehicles
- Support charging connector lock function
- IP55 standard design for safe use in all outdoor weather conditions
- Ergonomic design, easy to plug



C22Ts

- 32A, 3-phase and up to 22kW of power
- Type 2 to Type 2 charging cable
- Compatible with all Type 2 (IEC62196-2) electric vehicles
- Support charging connector lock function
- IP55 standard design for safe use in all outdoor weather conditions
- Ergonomic design, easy to plug



EV Charger

EC01

- Max. 16A, 1 phase CEE plug EV charger
- Compatible with all Type 2(EC62196-2) electric vehicles
- Monitor your charge status with
- Easy-to-Read information on LCD screen
- Switchable charging current mode
- IP55 standard charging connector & IP67 standard control unit
- Switchable charging current -8A /10A /13A /16A



EC02

- Max. 32A, 1 phase CEE plug EV charger
- Compatible with all Type 2(EC62196-2) electric vehicles
- Monitor your charge status with
- Easy-to-Read information on LCD screen
- IP55 standard charging connector & IP67 standard control unit
- Switchable charging current -8A /10A /13A /16A /32A



TIRE INFLATOR



SP1

- 2-in-1 design, Tire inflator & Jump starter
- Can start the vehicle 30 times when fully charged
- 600A peak current(up to 5.0L gas/3.0 diesel engine)
- Quick inflation in 8 minutes(0~2.5 bar, 205/55/R16)
- Comes with digital air pressure gauge
- Built-in 8000 mAh high-capacity lithium battery
- 5V/2A USB type C output
- Intelligent inflation modes
- Adjustable pressure unit
- Small, compact and easy to store
- Emergency white LED lighting
- 4 different nozzles included

More videos

V12

- 2-in-1 design, Tire inflator & Jump starter
- Two ways of power supply available
  - Built-in 12000mAh high-capacity lithium battery
  - DC 12V power supply
- Supports starting vehicles with 5.0L gasoline/3.0L diesel
- Comes with digital air pressure gauge
- Intelligent inflation modes
- Adjustable pressure unit
- Emergency white LED lighting
- 4 different nozzles included



T17

- Built-in 6000mAh high-capacity lithium battery
- Comes with digital air pressure gauge
- Intelligent inflation modes
- Adjustable pressure unit
- Emergency white LED lighting
- 4 different nozzles included
- Small, compact and easy to store



T16

- Built-in 4000mAh high-capacity lithium battery
- Comes with digital air pressure gauge
- Intelligent inflation modes
- Adjustable pressure unit
- Emergency white LED lighting
- 4 different nozzles included
- Small, compact and easy to store



T15-B

- Built-in 4000mAh high-capacity lithium battery
- Comes with digital air pressure gauge
- Intelligent inflation modes
- Adjustable pressure unit
- Emergency white LED lighting
- 4 different nozzles included
- Small, compact and easy to store



T15-A

- DC 12V power supply
- Comes with digital air pressure gauge
- Intelligent inflation modes
- Adjustable pressure unit
- Emergency white LED lighting
- 4 different nozzles included
- Small, compact and easy to store



T12

- 2-in-1 design, Tire inflator & Flashlight
- Two ways of power supply available
  - Built-in 8000mAh high-capacity lithium battery
  - DC 12V power supply
- Comes with digital air pressure gauge
- Intelligent inflation modes
- Adjustable pressure unit
- Emergency white LED lighting
- 4 different nozzles included



T10 Pro

- Two ways of power supply available
  - Built-in 6000 mAh high-capacity lithium battery
  - DC 12V power supply
- Quick inflation in 5 minutes (0~2.5 bar, 205/55/R16)
- Comes with digital air pressure gauge
- Intelligent inflation modes
- Adjustable pressure unit
- Emergency white LED lighting
- 3 different nozzles included
- Support automatic tire repair with tire sealant. (Puncture hole size: <6mm)
- Pressure maintenance mode to make easy and convenient



T10

- Built-in 6000 mAh high-capacity lithium battery
- Quick inflation in 5 minutes (0~2.5 bar, 205/55/R16)
- Comes with digital air pressure gauge
- Intelligent inflation modes
- Adjustable pressure unit
- Emergency white LED lighting
- 3 different nozzles included
- Support automatic tire repair with tire sealant(Puncture hole size: <6mm).
- Pressure maintenance mode to make easy and convenient



T9

- Quick inflation in 8 minutes(0~2.5 bar, 205/55/R16)
- Comes with digital air pressure gauge
- Two ways of power supply available
  - Built-in 6000 mAh high capacity lithium battery
  - DC 12V power supply
- 5V/2A USB type C output
- Intelligent inflation modes
- Adjustable pressure unit
- Small, compact and easy to store
- Emergency Red & Blue LED lighting
- 3 different nozzles included



T5

- Quick inflation in 5 minutes(0~2.5 bar, 205/55/R16)
- Comes with digital air pressure gauge
- DC 12V power supply
- Intelligent inflation modes
- Adjustable pressure unit
- Small, compact and easy to store
- Emergency white LED lighting
- 2 different nozzles included



PO8

- Quick inflation in 8 minutes(0~2.5 bar, 205/55/R16)
- Comes with digital air pressure gauge
- Built-in 6000 mAh high-capacity lithium battery
- 5V/2A USB type C output
- Intelligent inflation modes
- Adjustable pressure unit
- Small, compact and easy to store
- Emergency white LED lighting
- 3 different nozzles included



PO7

- Quick inflation in 7 minutes(0~2.5 bar, 205/55/R16)
- Comes with digital air pressure gauge
- DC 12V power supply
- Intelligent inflation modes
- Adjustable pressure unit
- Small, compact and easy to store
- Emergency white LED lighting
- 3 different nozzles included



PO5

- Quick inflation in 9 minutes(0~2.5 bar, 205/55/R16)
- Comes with digital air pressure gauge
- Cigarette lighter plug input with 3 meters power cord
- Small, compact and easy to store
- With rubber feet for stability and an bright LED light to keep your area illuminated at night
- 2 different nozzles included



PO6-B

- Quick inflation in 9 minutes(0~2.5 bar, 205/55/R16)
- Comes with digital air pressure gauge
- Adjustable inflate pressure threshold value with auto stop inflation function
- Adjustable pressure unit
- Cigarette lighter plug input with 3 meters power cord
- Small, compact and easy to store
- With rubber feet for stability and an bright LED light to keep your area illuminated at night
- 2 different nozzles included



PO6-A


- Quick inflation in 9 minutes(0~2.5 bar, 205/55/R16)
- Comes with Dial air pressure gauge
- Adjustable pressure unit
- Cigarette lighter plug input with 3 meters power cord
- Small, compact and easy to store
- With rubber feet for stability and an bright LED light to keep your area illuminated at night
- 2 different nozzles included



PO3

- Quick inflation in 9 minutes(0~2.5 bar, 205/55/R16)
- Comes with Dial air pressure gauge
- Cigarette lighter plug input with 3 meters power cord
- Small, compact and easy to store
- With rubber feet for stability and an bright LED light to keep your area illuminated at night
- 2 different nozzles included





Xenon Headlight Bulbs to LED

D5S D2S-R / D4S-R D1S / D3S / D8S

- Rated power: 35W
- For upgrading the model of the original car with xenon headlight bulbs
- Highly thermally conductive pure copper tubes for efficient heat dissipation
- Built-in intelligent decoder
- No removal of the original ballast for plug-and-play installation
- Plug in with the original car wiring harness for non-destructive upgrade



D5S



D2S-R / D4S-R



D1S / D3S / D8S

LED Headlight Bulbs

LE6

- Rated power: 60W
- One-piece molded metal casing
- Highly thermally conductive pure copper tubes for efficient heat dissipation
- Intelligent temperature control
- Patented adjustable chucks
- Plug in with the original car wiring harness for nondestructive upgrade



LE5

- Rated power: 45W
- One-piece molded metal casing
- Highly thermally conductive pure copper tubes for efficient heat dissipation
- Intelligent temperature control
- Patented adjustable chucks
- Built-in intelligent decoder
- Plug in with the original car wiring harness for nondestructive upgrade



L3S

- Rated power: 30W
- One-piece molded metal casing
- Ultra-low energy consumption for energy and fuel saving
- Plug in with the original car wiring harness for nondestructive upgrade



LE3

- Rated power: 30W
- Aluminum alloy heat dissipation casing
- Ultra-low energy consumption for energy and fuel saving
- Plug in with the original car wiring harness for nondestructive upgrade



Applicable model for LED headlight

☑ H1	☑ H7	☑ D1/D3	☑ H8/H9/H11/H16	☑ HB4/9006
☑ H3	☑ H13	☑ D2/D4	☑ HB1/9004	☑ HB5/9007
☑ H4	☑ H15	☑ 880/881	☑ HB3/9005	☑ H1R2/9012

JUMP STARTER

More videos

JS16

- 16000mAh high discharge lithium polymer battery
- DC 12V output
- Output power display
- Can start the vehicle 50 times when fully charged
- 1000A peak current(up to 6.0L gas/5.0L diesel engine)
- Dual USB for quick charging
- 3 LED modes(Flashlight, strobe and SOS)
- Reverse charge, short circuit, overcharge and overcurrent protection
- Can be started at -20℃ low temperature
- The casing with L94-V0 fireproof material



JS12

- 12000mAh high discharge lithium polymer battery
- Can start the vehicle 50 times when fully charged
- 900A peak current(up to 5.0L gas/3.0L diesel engine)
- Dual USB for quick charging
- 3 LED modes(Flashlight, strobe and SOS)
- Reverse charge, short circuit, overcharge and overcurrent protection
- Can be started at -20℃ low temperature
- The casing with L94-V0 fireproof material



JS10

- 10000mAh high discharge lithium polymer battery
- Can start the vehicle 30 times when fully charged
- 800A peak current(up to 4.0L gas/2.5L diesel engine)
- Dual USB for quick charging
- Intelligent digital LCD screen
- 3 LED modes(Flashlight, strobe and SOS)
- Reverse charge, short circuit, overcharge and overcurrent protection
- Can be started at -20℃ low temperature
- The casing with aluminumalloymaterial



COMMERCIAL VEHICLE ELECTRONICS



Vehicle Location

Car Stereo

Fuel Consumption Monitoring

Driving Behavior Analysis

Dash Camera

Tire Pressure Monitoring System

INDEX

53 TIRE PRESSURE MONITORING SYSTEM
TP-V3
TP-83 PRO

54 PARKING ASSIST SYSTEM
PTS400W1-COM
PTS400V12-COM

55 DASH CAMERA
C50 / C40E / C40 / C20

More videos

TIRE PRESSURE MONITORING SYSTEM

TP-V3



- Maximum support 16 sensors
- Multi color solar-powered display
- Waterproof compact-size repeater optional (recommended for >9 meters vehicle)
- Adjustable display duration time of each axle
- Optional Micro USB input
- Pressure threshold value of each axles can be adjusted separately
- Sensor pressure range: 0~7.9 Bar / 0~99PSI
- Smart auto adjust backlit brightness (the backlit brightness of display will be adjusted automatically according to the sunlight intensity)

More videos



BSE136



BSE152

TP-83 PRO



- Real-time monitoring tire pressure and temperature
- Leakage, high pressure, and high temperature will be alarmed
- Convertible pressure & temperature unit
- Max 10 tires in tractor and max 20 tires in trailer available
- Suitable for 12/ 24V vehicles
- Wireless display with sensor partner (place on windshield freely)
- Built-in TPMS sensor partner with dry battery power
- Sensors in trailer can be paired automatically when the repeater
- Matches with display



BSE138



BSE128



BSE179



BSE180

PARKING ASSIST SYSTEM

PTS400W1-COM / PTS400V12-COM

- Suitable for 12V-24V vehicle
- 4 sensors system
- Volume adjustment
- Detachable sensor with waterproof wire connector
- Water resistant ECU
- Self-test function
- Matrix LED display (V12)
- Human voice speaker (W1)



More videos



W1



V12

SIDE DETECTION SYSTEM

CVB-S1

- Suitable for 12V/24V vehicles
- 4 ultrasonic sensors system
- Detect the moving objects at the side of vehicle
- Can be matched with buzzer or display
- Visual and audible alarm



DASH CAMERA



C50

- 5-channel HD dash-cam with split screen function
- 10.1 inch HD IPS touch screen
- Built-in DMS (Driver Motoring System)
- Blind spot detection function
- Loop / Time-lapse recording available





C40e

- 4-channel HD dash-cam with split screen function
- 10.1 inch HD IPS touch screen
- Loop / Time-lapse recording available



C40

- 4-channel HD dash-cam with split screen function
- 10.1 inch HD IPS touch screen
- Blind spot detection function
- Loop / Time-lapse recording available



C20

- 2-channel HD dash-cam with splits creen function
- 7 inch HD IPS screen
- Loop / Time-lapse recording available



MOTORCYCLE ELECTRONICS



Tire Pressure Monitoring System



Helmet Light System



Motorcycle Alarm System

INDEX

57 TIRE PRESSURE MONITORING SYSTEM
ET-910AE / TP-93 TB1
Optional Motorcycle TPMS Accessories
Optional accessories (Special for ET-910AE)
Motorcycle professional sensor

60 MOTORCYCLE ALARM SYSTEM
2-Way Motorcycle Alarm System
986XO Pro / 986X Pro
886XO Pro / 886X Pro
1-Way Motorcycle Alarm System
886 PKE
986L 986T 986F
886R 886E1

65 Helmet Light System
H3 H2 H1 S1

TIRE PRESSURE MONITORING SYSTEM



More videos



More videos

ET-910AE / TP-93

- Match with valve-cap external sensors
- Waterproof and dustproof display with clock
- Two ways for display mounting:
  -Clip on handlebar
  -Stick on dashboard
- Adjustable monitoring pressure range
- Convertible pressure unit
- Visual and audible alarm
- Optional accessories available
- AAA battery power display (ET-910AE)
- Rechargeable lithium battery power display (TP-93)



Clip on handlebar



Professional sensor



ET-910AE



TP-93

TB1

- DIY installation
- Match with valve-cap external sensors
- Sensor pressure range: 0~6Bar / 0~87Psi
- Compatible with Android and iOS Smartphone
- Bluetooth connection
- Available for 2-wheels (Motorcycles, Bicycles, E-bicycles) & 3-wheels (Tricycle) (Optional*)
- Replaceable sensor battery (CR1632)
- Adjustable tire pressure & temperature threshold value
- Convertible pressure & temperature unit



Optional Motorcycle TPMS Accessories


Optional accessories (Special for ET-910AE)

TP-91 Adhesive Bracket	TP-91 Adjustable Clamp	TP-91 Cradle-L	TP-91 Cradle-S
			

Motorcycle professional sensor


Internal sensor:





External sensors(DIY):





MOTORCYCLE ALARM SYSTEM



More videos

2-Way Motorcycle Alarm System

986XO Pro / 986X Pro
886XO Pro / 886X Pro

- Arming and disarming
- Mute arming and disarming
- Shock impact alarm
- Emergency alarm
- Research
- Anti-Hijack
- Not arming warning
- Remote engine stop (Special for 986X series)
- Remote engine start (Special for 986X series)
- LED indicator
- Special Music reminding
- Time setting
- Antenna range indication
- Shock sensitive adjustment
- Motorcycle battery status monitoring



4379 4380

(986XO Pro & 886XO Pro)



4379 4379

(986X Pro & 886X Pro)

1-Way Motorcycle Alarm System

1-way FSK transmitter

886 PKE

- Automatically disarm when ACC is on
- Low power consumption
- Arming and disarm
- Mute arming available
- Auto arming & re-arming function available
- Motorcycle locating
- Anti-hijack & engine immobilization
- Adjustable shock sensor sensitivity



1-way with remote engine start

986L

- Arming and disarming
- Mute arming
- Emergency alarm
- Arming reminder
- Locating
- Anti-Hijack
- Remote engine start and stop
- Shock sensitive adjustable



MOTORCYCLE



ELECTRIC MOTORCYCLE

This product can be adapted to all remotes



4341 2045 4420 4421 4422

986T

- Arming and disarming
- Mute arming
- Emergency alarm
- Auto rearming
- Not armed warning
- Locating
- Anti-hijack
- Remote engine start and stop
- Keyless driving
- Shock sensitive adjustable
- LED indicator (Optional)
- Transmitter programming
- Back up battery



986F

- Arming and disarming
- Mute arming
- Emergency alarm
- Auto rearming
- Armed warning
- Locating
- Anti-hijack
- Remote engine start and stop
- Keyless driving
- Shock sensitive adjustable
- Transmitter programming



Remote transmitters



4262 4222 4165 4213 4281 4258

886R

- Arming and disarming
- Mute arming
- Emergency alarm
- Auto Rearming
- Arming reminder
- Locating
- Anti-hijack
- Remote engine stop
- Shock sensitive adjustable
- Turning signals flashing ON/OFF
- Status Preserving
- Emergency override
- Remote transmitter programing
- LED indicator



886E1

- Arming and disarming
- Mute arming
- Emergency alarm
- Locating
- Arming reminder
- Anti-hijack
- Remote engine stop
- Shock sensitive adjustable




Remote transmitters



4218 4213 4281 4281B 3147 4177

HELMET LIGHT SYSTEM



H3

- Brake detection
- Turn signals detection
- 10 different types of streaming light
- Power level indicator
- DIY installation
- USB type C charging
- Low battery warning
- Intelligent sleep mode





More videos

H2

- Brake detection
- 10 differenttypes of streaming light
- Power level indicator
- Magnetic installation
- USB type C charging
- Low battery warning
- Intelligent sleep mode





H1

- Brake detection
- Power level indicator
- Magnetic installation
- USB type C charging
- Low battery warning
- Intelligent sleep mode





S1

- Brake detection
- Solar power/USB type C charging
- Power level indicator
- Automatic day/night brightness
- Easy installation
- Low battery warning
- Intelligent sleep mode



